PATENT COOPERATION TREATY

PCT

REC'D 1 2 OCT 2005

WIPO

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FOR FURTHER ACTION See Form PCT/IPEA/416								
International application No.	International filing date (day/month/year) Priority date (day/month/year)							
PCT/SE2004/001484	15.10.2004	17.10.2003						
International Patent Classification (IPC) o		17.10.2003						
F16L 59/02, F16L 59/14								
·								
Applicant								
Saint-Gobain Isover AB et al								
1. This report is the international pre	liminary examination report, estal	olished by this International Preliminary Examining						
Authority under Article 35 and tra 2. This REPORT consists of a total of								
3. This report is also accompanied by		ng this cover sneet.						
	sneets, as follows:							
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the								
Administrative Instructions). sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes								
beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.								
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))								
form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).								
This report contains indications relating to the following items:								
Box No. II Priority	-							
Box No. III Non-esta	blishment of opinion with regard	to novelty, inventive step and industrial applicability						
	unity of invention	,, and approaches						
Box No. V Reasone	d statement under Article 35(2) w	ith regard to novelty, inventive step or industrial						
	ility; citations and explanations su locuments cited	pporting such statement						
Box No. VII Certain d	lefects in the international applica	tion						
Box No. VIII Certain o	bservations on the international a	pplication						
Date of submission of the demand	Data of	completion of this many						
	. Date of	completion of this report						
16.05.2005	04.1	0.2005						
Name and mailing address of the IPEA/SE		Authorized officer						
Patent- och registreringsverket Box 5055		ĺ						
S-102 42 STOCKHOLM	Chri	Christer Wendenius / MRo						
Facsimile No. +46 8 667 72 88		Telephone No. +46 8 782 25 00						

Form PCT/IPEA/409 (cover sheet) (April 2005)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001484

Во	x No. I	Basis of the report					
1.	With 1	egard to the language, this report is based on:					
	\boxtimes	the international application in the language in which it was filed					
		a translation of the international application into which is the language of a translation furnished for the purposes of:					
ļ		international search (Rules 12.3(a) and 23.1(b))					
ŀ		publication of the international application (Rule 12.4(a))					
		international preliminary examination (Rules 55.2(a) and/or 55.3(a))					
2.	furnisi	rd to the elements of the international application, this report is based on (replacement sheets which have been o the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" t annexed to this report):					
		the international application as originally filed/furnished					
	\bowtie	the description:					
		pages 1-26 as originally filed/furnished					
		pages* received by this Authority on pages*					
		the claims:					
		pages as originally filed/furnished pages* as amended (together with any statement) under Article 19					
		pages* 27-28 received by this Authority on 16.05.2005					
•		pages* received by this Authority on					
	\boxtimes	the drawings:					
		pages 1-4 as originally filed/furnished					
		pages* received by this Authority on					
		pages* received by this Authority on					
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.					
3.		The amendments have resulted in the cancellation of:					
		the description, pages					
		the claims, Nos.					
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rul 70.2(c)).					
		the description, pages					
		the claims, Nos.					
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
*	If item	applies, some or all of those sheets may be marked "superseded."					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001484

		under Article 35(2) with regard to novelty, inventive step or industrial applicability; ations supporting such statement		
1. Statement				
Novelty	(N)	Claims Claims	1-14	YES NO
Inventiv	re step (IS)	Claims Claims	1-14	YES NO
Industri	al applicability (IA)	Claims Claims	1-14	YES NO

2. Citations and explanations (Rule 70.7)

The invention concerns an insulation system of the kind stated in the preamble of claim 1.

In order to provide an insulation system which is easy and inexpensive to manufacture, which is possible to produce in existing production equipment with minor modifications and which is easy to mount, the system is being arranged in such a manner that the insulation system, starting from the outside, comprises the vapour barrier, a layer of hygroscopic material arranged between the vapour barrier and the thermally insulating layer, said hygroscopic material being at least partially connected with the vapour barrier. The combination of the vapour barrier and the hygroscopic material is further connected with the thermally insulating layer in such a manner that the hygroscopic material partially makes contact with the thermally insulating layer as stated in the characterising part of the claim.

Cited documents:

D1: US 5441083 A D2: WO 0153740 A1 D3: WO 9405947 A1

From each of D1-D3 is known an insulation system for installation parts which have a an outer surface temperature which periodically is below the dew point of the ambient air comprising a thermally insulating layer, a vapour barrier and a hygroscopic material. The layers are not arranged as stated in claim 1.

As the insulating system in claim 1 is new, is regarded to contain an inventive step, and also is industrially applicable, the patentability criteria are deemed to be met.

PCT/SE2004/001484

27

CLAIMS

1. An insulation system (1) for pipes, containers, ventilation ducts and like installation parts which have an outer surface temperature which periodically is below the dew point of the ambient air, said insulation system comprising a thermally insulating layer (5) and a layer of a vapour barrier (2) arranged on one side of the thermal insulating layer, said layers being arranged in such a manner that the insulation system (1), starting from the outside, comprises said vapour barrier (2), c h a r a c t e r i s e d by

5

10

15

20

25

a layer of hygroscopic material (3) arranged between the layer of the vapour barrier (2) and the thermally insulating layer (5), said hygroscopic material (3) being at least partially connected with the vapour barrier (2), and

the combination of the vapour barrier (2) and the hygroscopic material (3) being connected with the thermally insulating layer (5) in such a manner that the hygroscopic material (3) partially makes contact with the thermally insulating layer (5).

- 2. An insulation system as claimed in claim 1, in which the hygroscopic material (3) is connected with the thermally insulating layer (5) by means of a thermoplastic binder (4) which is arranged so that, after heating to a temperature above its melting point, it exposes the hygroscopic material (3) to the thermally insulating layer (5).
- 30 3. An insulation system as claimed in claim 1, in which the hygroscopic material (3) is thermoplastic.
 - 4. An insulation system as claimed in claim 1, in which the vapour barrier (2) and the hygroscopic material (3) constitute a laminate (7).
- 5. An insulation system as claimed in claim 2, in which the vapour barrier (2), the hygroscopic material

28

- (3) and the thermoplastic binder (4) constitute a laminate (7).
- 6. An insulation system as claimed in claim 5, in which the thermoplastic binder (4) is arranged in a first layer next to the vapour barrier (2) and in a second layer next to the thermally insulating layer (5).
- 7. An insulation system as claimed in claim 4 or 5, in which the laminate (7) comprises perforations (8) which are adapted to make the hygroscopic material (3) communicate with the ambient air.
- 8. An insulation system as claimed in claim 1, in which the hygroscopic material (5) is a non-continuous layer.
- 9. An insulation system as claimed in claim 2, in which the thermoplastic binder (4) is arranged as a non-continuous layer.
 - 10. An insulation system as claimed in claim 1, in which the thermally insulating layer (5) comprises an additional hygroscopic material (14; 14').
- 20 11. An insulation system as claimed in claim 10, in which the thermally insulating layer (5) and the additional hygroscopic material (14; 14') constitute a flexible pipe shell, a pleated mat or a laminated mat.
 - 12. An insulation system as claimed in claim 1, in which the hygroscopic material (3) forms a reinforcement of the vapour barrier (2).
 - 13. An insulation system as claimed in claim 4 or 5, in which the laminate (4) has such a width as to form flaps (11; 11a; 11b) which can be made to enclose pipes, containers, ventilation ducts and like installation parts.
 - 14. An insulation system as claimed in any of the claims 1, 4 or 5, in which the vapour barrier (2) has moisture adaptive properties.

35

25

30

5

10